

A BIRDER'S CHECKLIST OF OTTAWA*



Compiled by
© The Ottawa Field-Naturalists' Club
Birds Committee
May 1993

*50 km radius of the Peace Tower



- | | | |
|-----------------------|-----------------------------|-----------------------------|
| 1 Ramsay Lake | 14 Britannia | 28 Jack Pine Feeder |
| 2 Lac Philippe | 15 Clyde Woods | 29 Experimental Farm, Outer |
| 3 Steel Line Road | 16 Kitchissippi | 30 Ottawa Intl. Airport |
| 4 Champlain Lookout | 17 Arboretum | 31 Russell Lagoon |
| 5 Morns Island | 17 Experimental Farm, Inner | 32 Embrun Lagoon |
| 6 Carp Ridge | 18 Lemieux Island | 33 Casselman Lagoon |
| 7 Dunrobin Ridge | 19 Rockcliffe | 34 Nepean Dump |
| 8 Pink Road Feeder | 20 Beechwood | 35 Richmond Lagoon |
| 9 Shirley's Bay | 21 Black Bay/Baie Noire | 36 Munster Lagoon |
| 10 Deschênes | 22 Mer Bleue | 37 Richmond Fen |
| 11 Bate Island | 23 Vincent Massey Park | 38 Marlborough Forest |
| 12 Parc Brébeuf | 24 Ramsayville Marsh | |
| 13 Andrew Haydon Park | 25 Ridge Road | D Dump |
| 13 Dick Bell Park | 26 Bear Brook | F Feeder |
| 13 Ottawa Beach | 27 Larose Forest | S Sewage Lagoon |

Additional copies are available from

OFNC

BOX 35069 WESTGATE P.O.

OTTAWA, ONTARIO

K1Z 1A2

These bar graphs are designed to show the seasonal status of birds found within a 50km radius of the Peace Tower, Parliament Hill.

The three major geographical features of the Ottawa district are the Ottawa River (see "a" in legend), the Canadian Shield (see "b" in legend), and the St. Lawrence Lowlands. The Lowlands consist of open country with wooded areas of varying size, urban areas, and micro-habitats such as Mer Bleu bog, Richmond Fen, Larose Forest and sewage lagoons.

1) Bar Graphs: months have been divided into four periods (1st - 7th, 8th - 14th, 15th - 21st, and 22nd - end of the month)

■ Common to abundant, found easily in proper habitat

■ Uncommon to fairly common, found with some effort

■ Scarce, found with special effort

■ Rare, found with difficulty

— Very rare, not normally present

● Accidental to casual, exceptional records

<...> Indicates a single bird that lingered for some weeks

2) ★ Immediately to the left of the species name indicates that the species has bred in the district

? Immediately to the left of the species name indicates that the species is suspected to have bred in the district, however, confirmation is still required.

3) Marginal Notes

↑ More common than status indicated on bar graph (e.g. ■ is common to abundant and ↑■ is abundant)

↓ Less common than status indicated on bar graph (e.g. ■ is scarce and ↓■ is scarce to rare)

a observed along the Ottawa River; in particular, between Shirley's Bay and Champlain Bridge and again between Masson and Black Bay (east of Thurso).

b breeds in suitable habitat in the Canadian Shield i.e. Gatineau Park and northeast and north of city of Gatineau on the Quebec side; on the Ontario side: Morris Island and nearby locations, the Pakenham mountains, Carp Ridge, and "shield-like" areas such as Larose Forest, Mer Bleu, and Richmond Fen.

c wetlands i.e. marshes, swamps, fens, bogs; marshy sections of rivers and sewage lagoons.

d flooded fields, particularly in spring; in some cases ploughed fields in autumn.

e sewage lagoons, ponds.

f puddle duck habitat: Ottawa River (see "a" above), sewage lagoons, ponds, flooded fields.

g bay duck habitat: Ottawa River (see "a" above), spots along the Rideau River, and to a lesser extent sewage lagoons and ponds.

h typical shorebird habitat: shorelines with mudflats or very shallow water specifically along the Ottawa River, sewage lagoons, and flooded fields.

i typical gull habitat: Ottawa River (see "a" above), dumps, ploughed fields.

j typical hawk migrant: notable movements when weather conditions are favourable; might be seen migrating overhead anywhere; sometimes roosts in inner city parks.

k open country.

l urban areas.

m suburban areas, parks.

n lowland (generally wet or moist) forests.

o open woodlands, forest edges, second growth.

p thickets, brushy areas, second growth.

q pine woods, pine plantations.

r burntlands or similar stands of dead trees; beaver ponds.

s forest and woodlands in general.

t in winter: feeding stations, cone bearing trees, or fruit bearing plants depending on the species.

u along the southern edge of Gatineau Park (particularly the western section) from late autumn to early spring.

v breeds Champlain Lookout.

w breeds Carp Ridge.

x in migration: found in parks, woodlots (and sometimes backyards); weather conditions are often a factor.

y predominantly deciduous woodlands.

z predominantly coniferous woodlands.

B breeds in the Mer Bleu (peat bog) where its status is more common than is indicated by bar graph.

E erratic or variable in status; some years more common than status indicated; may be absent some years.
Note: this refers to winter status, primarily, except in the cases of waterfowl and shorebirds.

L breeding distribution is local; confined to a very specific habitat or absent from many areas with suitable habitat.

R breeds in Richmond Fen where its status is more common than is indicated by bar graph.

W individuals or large flocks can occur in migration associated with weather conditions e.g. cold fronts, storm systems, clear nights, etc.

	NOTES	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
Red-throated Loon	a W	*			•••••	•	—				•••••	•••••	•••••
* Common Loon	a b	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••
Yellow-billed Loon					•								
* Pied-billed Grebe	a c	*		•	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••
Horned Grebe	a W	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
Red-necked Grebe	a W	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
Eared Grebe									•••	•••			
Western Grebe													
Northern Fulmar											•		
Audubon's Shearwater										•			
* Wilson's Storm Petrel											•		
Band-rumped Storm Petrel												•	
Northern Gannet	W	•									•••••	•••	
American White Pelican						•							
? Double-crested Cormorant	a			•	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••
* American Bittern	c			•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••
* Least Bittern	c L ↓				•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••
* Great Blue Heron		•••	•	•••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••
Great Egret				•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
Snowy Egret				•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••
Little Blue Heron				•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
Cattle Egret				•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
* Green-backed Heron	c			•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••
? Black-crowned Night Heron	a c			•	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••
Yellow-crowned Night Heron				•	•••	•••	•••	•••	•••	•••	•••	•••	•••
Glossy Ibis					•••	•••	•••	•••	•••	•••	•••	•••	•••
Fulvous Whistling Duck										•			
Tundra Swan	a d		•	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
Mute Swan						•							
Greater White-fronted Goose	d a			•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••
Snow Goose	d a E	•		•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
Brant	a W E				•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••
* Canada Goose	↑	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••
* Wood Duck	a c e	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••
* Green-winged Teal	f c			•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••
* American Black Duck	↑	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••
* Mallard	↑	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••
* Northern Pintail	f W	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••
* Blue-winged Teal	f c			•	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••
* Northern Shoveler	f			•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
* Gadwall	f	•		•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
Eurasian Wigeon	f			•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
* American Wigeon	f ↓	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••
Canvasback	a E ↓	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••
? Redhead	a e ↑	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
* Ring-necked Duck	a e b	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••
Greater Scaup	a ↓	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
Lesser Scaup	g			•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
King Eider	a ↑										•••	•••	•••
Harlequin Duck	a	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••
Oldsquaw	a W	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••
Black Scoter	a W ↓			•	•••	•••	•••	•••	•••	•••	•••	•••	•••
Surf Scoter	a E ↓			•	•••	•••	•••	•••	•••	•••	•••	•••	•••
White-winged Scoter	a W ↑	•	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
* Common Golden-eye	g ↑	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••
Barrow's Golden-eye	g	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••

	NOTES	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
Bufflehead	g	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••
* Hooded Merganser	g b	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••
* Common Merganser	g b	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••
? Red-breasted Merganser	g	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••
* Ruddy Duck	e a L E			•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
* Turkey Vulture	j b			•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
* Osprey	a c ↓			•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
Swallow-tailed Kite													
* Bald Eagle	a j u W			•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
* Northern Harrier	k j ↑	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
* Sharp-shinned Hawk	j s ↓	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
* Cooper's Hawk	j s ↓	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
* Northern Goshawk	j s ↓	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
* Red-shouldered Hawk	j s L			•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
* Broad-winged Hawk	j s			•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
Swainson's Hawk													
* Red-tailed Hawk	j k E	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
Rough-legged Hawk	j k E	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
? Golden Eagle	j u W			•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
* American Kestrel		•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
* Merlin	a e j			•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
Peregrine Falcon	a e l			•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
Gyrfalcon	a l k			•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
* Gray Partridge	k ↓												
* Ring-necked Pheasant													
? Spruce Grouse													
* Ruffed Grouse	s	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
* Yellow Rail	R												
King Rail						•							
* Virginia Rail	c ↑			•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
* Sora	c ↑			•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
Purple Gallinule						•••							
* Common Moorhen	c					•••	•••	•••	•••	•••	•••	•••	•••
* American Coot	a c L E	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
* Sandhill Crane	B ↓	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••
Black-bellied Plover	h d W												
Lesser Golden Plover	d h W												
Semipalmated Plover	h W												
Piping Plover													
* Killdeer		•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
American Avocet													
Greater Yellowlegs	h			•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
Lesser Yellowlegs	h			•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
Spotted Redshank													
Solitary Sandpiper	h c			•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
Willet				•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
* Spotted Sandpiper				•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
* Upland Sandpiper	k			•••	•••	•••	•••	•••	•••	•••	•••	•••	•••
Whimbrel	a W												
Hudsonian Godwit	h W												
Marbled Godwit	h W												
Ruddy Turnstone	a h W												
Red Knot	a W												
Sanderling	a h W												
Semipalmated Sandpiper	h W												
Western Sandpiper													

DATE UNKNOWN PRE 1881

NEARLY EXTIRPATED - RELEASED BIRDS

EXTIRPATED

	NOTES	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
Northern Wheatear					*	*					*		
* Eastern Bluebird	k			••	••	••	••	••	••	••	••	••	••
Townsend's Solitaire		••••	••••	••								••••	••••
* Veery	s x					•	•	•	•	•	•	•	•
Gray-cheeked Thrush	x				•	•	•	•	•	•	•	•	•
* Swainson's Thrush	b z x L				•	•	•	•	•	•	•	•	••
* Hermit Thrush	b x	••••	••••	••	•	•	•	•	•	•	•	•	••••
* Wood Thrush	y x				•	•	•	•	•	•	•	•	•
Fieldfare		*											
* American Robin	t ↑	••	••	••	••	••	••	••	••	••	••	••	••
Varied Thrush	t			••								••	••
* Gray Catbird	p m				•	•	•	•	•	•	•	•	•
* Northern Mockingbird	p m				•	•	•	•	•	•	•	•	•
* Brown Thrasher	p o x	••••	••••	••	•	•	•	•	•	•	•	•	•
Water Pipit	a k			•	•	•	•	•	•	•	•	•	•
Bohemian Waxwing	t E	••	••	••	••	••	••	••	••	••	••	••	••
* Cedar Waxwing	t E ↑	••	••	••	••	••	••	••	••	••	••	••	••
Northern Shrike	k E	••	••	••	••	••	••	••	••	••	••	••	••
* Loggerhead Shrike	k L		•••	••	••	••	••	••	••	••	••	••	••
* European Starling	↑	••	••	••	••	••	••	••	••	••	••	••	••
White-eyed Vireo												••	••
* Solitary Vireo	x b L					•	•	•	•	•	•	•	•
* Yellow-throated Vireo	b y v				•	•	•	•	•	•	•	•	•
* Warbling Vireo	o m ↑				•	•	•	•	•	•	•	•	•
* Philadelphia Vireo	x v				•	•	•	•	•	•	•	•	•
* Red-eyed Vireo	y m ↑				•	•	•	•	•	•	•	•	•
Blue-winged Warbler					•••	••	••	••	••	••	••	••	••
Golden-winged Warbler	b w p L				•	•	•	•	•	•	•	•	•
? Tennessee Warbler	x ↓				•	•	•	•	•	•	•	•	•
Orange-crowned Warbler	x				•	•	•	•	•	•	•	•	•
* Nashville Warbler	o p c x				•	•	•	•	•	•	•	•	•
* Northern Parula	x				•	•	•	•	•	•	•	•	•
* Yellow Warbler	↑				•	•	•	•	•	•	•	•	•
* Chestnut-sided Warbler	o x				•	•	•	•	•	•	•	•	•
* Magnolia Warbler	b z x				•	•	•	•	•	•	•	•	•
* Cape May Warbler	b x z L				•	•	•	•	•	•	•	•	•
* Black-throated Blue Warbler	b x ↓				•	•	•	•	•	•	•	•	•
* Yellow-rumped Warbler	b z x ↑	••	••	••	•	•	•	•	•	•	•	•	•
* Black-throated Green Warbler	b x ↓				•	•	•	•	•	•	•	•	•
* Blackburnian Warbler	b z x				•	•	•	•	•	•	•	•	•
Yellow-throated Warbler	t				•	•	•	•	•	•	•	•	•
* Pine Warbler	q L	•••			•	•	•	•	•	•	•	•	•
Prairie Warbler					•••	••	••	••	••	••	••	••	••
* Palm Warbler	x k e				•	•	•	•	•	•	•	•	•
? Bay-breasted Warbler	x ↑				•	•	•	•	•	•	•	•	•
Blackpoll Warbler	x				•	•	•	•	•	•	•	•	•
* Cerulean Warbler	x y v				•	•	•	•	•	•	•	•	•
* Black-and-White Warbler	y x				•	•	•	•	•	•	•	•	•
* American Redstart	y p x				•	•	•	•	•	•	•	•	•
Prothonotary Warbler					••	••	••	••	••	••	••	••	••
Worm-eating Warbler					••	••	••	••	••	••	••	••	••
* Ovenbird	s x ↑	••••	••••	••	•	•	•	•	•	•	•	•	•
* Northern Waterthrush	n x				•	•	•	•	•	•	•	•	•
? Louisiana Waterthrush					•	•	•	•	•	•	•	•	•
Connecticut Warbler					•	•	•	•	•	•	•	•	•
* Mourning Warbler	n o x				•	•	•	•	•	•	•	•	•

	NOTES	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
* Common Yellowthroat	c p x ↑				••	••	••	••	••	••	••	••	••
Hooded Warbler					••	••	••	••	••	••	••	••	••
Wilson's Warbler	x				•	•	•	•	•	•	•	•	•
* Canada Warbler	c p x				•	•	•	•	•	•	•	•	•
Yellow-breasted Chat					••	••	••	••	••	••	••	••	••
Summer Tanager						•							
* Scarlet Tanager	y x				•	•	•	•	•	•	•	•	•
* Northern Cardinal	m	••	••	••	••	••	••	••	••	••	••	••	••
* Rose-breasted Grosbeak	y o x	••••	••••	••••	••	••	••	••	••	••	••	••	••
* Indigo Bunting	y o x				•	•	•	•	•	•	•	•	•
Dickcissel					••	••	••	••	••	••	••	••	••
* Rufous-sided Towhee	p w L	••••	••••	••••	••	••	••	••	••	••	••	••	••
American Tree Sparrow	k m o	••	••	••	••	••	••	••	••	••	••	••	••
* Chipping Sparrow	↑	••	••	••	••	••	••	••	••	••	••	••	••
* Clay-coloured Sparrow	p L				•	•	•	•	•	•	•	•	•
* Field Sparrow	o p x	••	••	••	••	••	••	••	••	••	••	••	••
* Vesper Sparrow	k	••	••	••	••	••	••	••	••	••	••	••	••
Lark Sparrow							•	•					
* Savannah Sparrow	k ↑				•	•	•	•	•	•	•	•	•
* Grasshopper Sparrow	k L				•	•	•	•	•	•	•	•	•
* Henlow's Sparrow							•	•					
* Leconte's Sparrow							•	•					
Sharp-tailed Sparrow							•	•					
Fox Sparrow	x				•	•	•	•	•	•	•	•	•
* Song Sparrow	↑				•	•	•	•	•	•	•	•	•
* Lincoln's Sparrow	x B				••	••	••	••	••	••	••	••	••
* Swamp Sparrow	c	••	••	••	••	••	••	••	••	••	••	••	••
* White-throated Sparrow	s x ↑				•	•	•	•	•	•	•	•	•
White-crowned Sparrow	x	••	••	••	••	••	••	••	••	••	••	••	••
Harris' Sparrow					•	•	•	•	•	•	•	•	•
* Dark-eyed Junco	x z L ↑	••	••	••	••	••	••	••	••	••	••	••	••
Lapland Longspur	k E	••	••	••	••	••	••	••	••	••	••	••	••
Snow Bunting	k a	••	••	••	••	••	••	••	••	••	••	••	••
* Bobolink	k ↑				•	•	•	•	•	•	•	•	•
* Red-winged Blackbird	↑	••	••	••	••	••	••	••	••	••	••	••	••
* Eastern Meadowlark	k	••••	••••	••	•	•	•	•	•	•	•	•	•
? Western Meadowlark					•	•	•	•	•	•	•	•	•
Yellow-headed Blackbird					•	•	•	•	•	•	•	•	•
Rusty Blackbird	n k				•	•	•	•	•	•	•	•	•
Brewer's Blackbird												•	•
* Common Grackle	↑	••	••	••	••	••	••	••	••	••	••	••	••
* Brown-headed Cowbird	↑	••	••	••	••	••	••	••	••	••	••	••	••
Orchard Oriole					•	•	•	•	•	•	•	•	•
* Northern Oriole	o m	••••	••	••	••	••	••	••	••	••	••	••	••
Pine Grosbeak	z t E ↓	••	••	••	••	••	••	••	••	••	••	••	••
* Purple Finch	x z t E	••	••	••	••	••	••	••	••	••	••	••	••
* House Finch	m	••	••	••	••	••	••	••	••	••	••	••	••
* Red Crossbill	z t E ↓	••	••	••	••	••	••	••	••	••	••	••	••
* White-winged Crossbill	z t E ↑	••	••	••	••	••	••	••	••	••	••	••	••
? Common Redpoll	E ↑	••	••	••	••	••	••	••	••	••	••	••	••
Hoary Redpoll	E	••	••	••	••	••	••	••	••	••	••	••	••
* Pine Siskin	E ↑	••	••	••	••	••	••	••	••	••	••	••	••
* American Goldfinch	↑	••	••	••	••	••	••	••	••	••	••	••	••
* Evening Grosbeak	E	••	••	••	••	••	••	••	••	••	••	••	••
* House Sparrow	↑	••	••	••	••	••	••	••	••	••	••	••	••

Additional species observed for which origin is unknown: Barnacle Goose, Baikal Teal, Eurasian Goldfinch

Prepared by V. Bernard Ladouceur and Bruce M. DiLabio